

THEFORD Glass hobs, recessed in worktop











	SERIE 165	SERIE 165	SERIE 169
Version	All Gas	All Gas	All Gas
Shape	Rectangular	Rectangular	Rectangular
Type	Recessed in Frame	Recessed in Frame	Recessed in Frame
No of burners	2x Gas	2x Gas	3x Gas
Total heat input – gas	3.9 kW	3.9 kW	5.4 kW
Gas burners	1x 1.5 kW 1x 2.4 kW	1x 1.5 kW 1x 2.4 kW	2x 1.5 kW 1x 2.4 kW
Hob capacity – recommended pan sizes	1x Ø140 - Ø260 mm 1x Ø120 - Ø200 mm	1x Ø140 - Ø260 mm 1x Ø120 - Ø200 mm	1x Ø120 - Ø140 mm 1x Ø120 - Ø200 mm 1x Ø140 - Ø260 mm
Spark ignition	12V dc	12V dc	12V dc
Max input gas	281.0 g/h	281.0 g/h	389.0 g/h
Gas lid shutoff	No	No	No
Main dimension (HxWxD)	106x576x361 mm	106x361x576 mm	105x546x482 mm
Net weight	8.00 kg		10.50 kg
Part number	SHB16548-SP	SHB16598-SP	SHB16998-SP

THETFORD Glass hobs, mounted on worktop

	SERIE 910	SERIE 922	SERIE 931	9 SERIES	SERIE 981
					
Version	All Gas	All Gas	All Gas	All Gas	Hybrid (Gas + Induction)
Shape	Rectangular	Domino	Rectangular	Rectangular	Rectangular
Type	Countertop	Countertop	Countertop	Countertop	Countertop
No of burners	1x Gas	2x Gas	3x Gas	4x Gas	2x Gas / 1x Induction
Total heat input – gas	1.5 kW	3.0 kW	5.0 kW	6.0 kW	2.5 kW
Gas burners	1x 1.5 kW	2x 1.5 kW	1x 1.0 kW 1x 1.5 kW 1x 2.5 kW	4x 1.5 kW	1x 1.0 kW 1x 1.5 kW
Electric induction zones – Standard (220-240V 50Hz)	N/A	N/A	N/A	N/A	Ø145mm - 1.4 kW
Hob capacity – recommended pan sizes	1x Ø120 - Ø200 mm	2x Ø120 - Ø200 mm	1x Ø100 - Ø180 mm 1x Ø120 - Ø200 mm 1x Ø140 - Ø220 mm	2x Ø120 - Ø180 mm 2x Ø120 - Ø200 mm	1x Ø100 - Ø160 mm 1x Ø120 - Ø200 mm 1x Ø180 - Ø220 mm
Spark ignition	12V dc	12V dc	12V dc	12V dc	12V dc
Energy consumption of induction heater	N/A	N/A	N/A	N/A	1.4 kW
Max current (230V ac)	N/A	N/A	N/A	N/A	0,7 A
Max input gas	108.0 g/h	216.0 g/h	360.0 g/h	432.0 g/h	180.0 g/h
Gas lid shutoff	N/A	N/A	N/A	N/A	6.5 kg
Left/Right Handed	N/A	N/A	N/A	N/A	Left Right
Main dimension (HxWxD)	95x305x355 mm	95x305x500 mm	95x770x350 mm	125x540x480 mm	100x500x380 mm
Net weight	4.0 kg	5.0 kg	6.0 kg	8.0 kg	6.5 kg
Part number	SHB91099-SP	SHB92298-SP	SHB93199-SP	SHB94999-SP	SHB98199-SP SHB98189-SP

THETFORD Stainless steel hobs, recessed in worktop

	SERIE 330	SERIE 330	SERIE 330	SERIE 330	SERIE 345	SERIE 345	8 SERIES	SERIE 353
								
Version	All Gas	All Gas	All Gas	All Gas	All Gas	All Gas	All Gas	All Gas
Shape	Triangular	Triangular	Triangular	Triangular	Rectangular	Rectangular	Rectangular	Retangluar
No of burners	3x Gas	3x Gas	3x Gas	3x Gas	3x Gas	3x Gas	4x Gas	3x Gas
Total heat input – gas	4.5 kW	4.5 kW	4.5 kW	4.5 kW	5.5 kW	5.5 kW	6.5 kW	4,9 kW
Gas burners	3x 1.5 kW	3x 1.5 kW	3x 1.5 kW	3x 1.5 kW	2x 1.5 kW 1x 2.5 kW	2x 1.5 kW 1x 2.5 kW	4x 1.5 kW	1x 1,0 kW 1x 1,5 kW 1x 2,4 kW
Hob capacity – recommended pan sizes	3x Ø120 - Ø180 mm	3x Ø120 - Ø180 mm	3x Ø120 - Ø180 mm	3x Ø120 - Ø180 mm	3x Ø120 - Ø180 mm	3x Ø120 - Ø180 mm	2x Ø100 - Ø180 mm 2x Ø100 - Ø200 mm	1x Ø100 - Ø140 mm 1x Ø120 - Ø200 mm 1x Ø150 - Ø280 mm
Spark ignition	12V dc	12V dc	12V dc	12V dc	12V dc	12V dc	N/A	12V dc
Pan rest	Cast iron	Wired	Wired	Cast iron	Cast iron	Wired	Wired	Cast iron
Max input gas	324.0 g/h	324.0 g/h	324.0 g/h	324.0 g/h	396.0 g/h	396.0 g/h	432.0 g/h	353.0 g/hr
Lid hinging	Rear	Rear	Rear	Rear	Rear	Rear	N/A	Rear
Gas lid shutoff	No	No	No	No	No	No	No	Yes
Left / Right hand	Left	Left	Right	Right	N/A	N/A	Left	Left
Main dimension (HxWxD)	100 x 480 x 480 mm	100 x 480 x 480 mm	100 x 480 x 480 mm	100 x 480 x 480 mm	100 x 540 x 445 mm	100 x 540 x 445 mm	150 x 500 x 400 mm	101 x 660 x 410 mm
Net weight	4.7 kg	4.7 kg	4.7 kg	4.7 kg	6.2 kg	5.7 kg	4.8 kg	7.5 kg
Part number	SHB33098-SP	SHB33094-SP	SHB33095-SP	SHB33099-SP	SHB34597-SP	SHB34598-SP	SHB8490-SP	SHB35399-SP

THETFORD Combination units



	SERIE 353	SERIE 111
Version	All gas	All gas
Main dimensions (HxWxD)	160x980x410 mm	195x900x370 mm
Worktop cut-out dimensions (WxD)	962 x 389 mm	888 x 358 mm
Fixation	Surface mounted	Surface mounted
No of burners	3x Gas	2x Gas
Total heat input – gas	4.9 kW	3.0 kW
Gas burners	1x 1,0 kW 1x 1,5 kW 1x 2,4 kW	2x 1.5 kW
Hob capacity – recommended pan sizes	1x Ø150 – Ø280 mm 1x Ø100 – Ø140 mm 1x Ø120 – Ø200 mm	1x Ø120 - Ø160 mm 1x Ø120 - Ø220 mm
Spark ignition	12V dc	12V dc
Max input gas	353.0 g/h	216.0 g/h
Inside bowl dimensions (HxWxD)	100 x 290 x 321 mm	Ø235x140 mm
Bowl capacity	7.5 L	4.2 L
Waste hole	Ø39 mm (Euro)	Ø39 mm (Euro)
Outlet size – waste pipe	Ø25 mm	Ø25 mm
Tap hole	Ø40 mm	Ø40 mm
Lid hinging	Rear	Rear
Hob material	Brushed stainless steel	Black glass
Net weight	10.7 kg	11.0 kg
Left / Right hand	Left Right	Right
Part number	SCU353099-SP SCU353199-SP	SCU11199-SP