A guide to getting roof bars for a roof tent

Summary

Everything you need to know about getting roof bars for your car, in order to install a TentBox.

- Car roof types
- What roof bars should you get
- Where can you buy them
- Installing roof bars
- How does a TentBox attach to roof bars

How roof bars work


You can get roof bars for almost any vehicle, even if there are no obvious fixing points or raised side rails.

Roof bars run across your vehicle from side to side and they generally come in pairs. For a TentBox, you will need two roof bars.

The way they attach to your vehicle depends on your roof type. Your vehicle will have one of the following roof types.


Open Rails

Very obvious raised rails along the length of your car roof. They're "open" rails if there is a gap between the rail and your roof.




Closed Rails

A different type of raised rails that run along the length of your car roof. They're "closed" rails if there is **no** gap between the rail and your roof. These are also often referred to as "flush" rails.




Plain Roof

No obvious fixing points. The bars clamp to the frame of your car, sometimes slotting into small holes under your door.




Fixed Points

Clear fixing points, often hidden behind a plastic covering in a channel that runs along the length of your roof. The bars will attach to these directly.



Guttered

A gutter system that runs along the top of your roof. Not very common, these are often featured on old school Land Rovers and similar style vehicles. The bars will clamp onto the gutter.



Need help understanding roof load limits? If you would like to know more about roof load limits, check out the roof load limit guide.

We also recommend going for aero-bars where possible; due to their shape they are a lot stronger than the square bars.

Installing roof bars

Your roof bars will come with an installation manual, and you should follow this closely. Often there are also really helpful videos online but do remember to always double-check with the written instructions.

It is relatively straightforward to install roof bars, but if you need help, you can always ask a local mechanic to install them for you.

We cannot stress enough the importance of installing them correctly and making sure they are securely tightened.

How does a TentBox attach to roof bars

Once your roof bars are installed to your vehicle, you simply place the TentBox centrally on top and then use the simple fixing clamps provided to clamp it in place. All in all, there are 4 clamping points and just 8 nuts to tighten. Remember to closely follow the instructions that come with your TentBox when it comes to installing it.

Do you need more than two roof bars for a roof tent

No, two roof bars is what we recommend as long as they are good quality bars. Some people do like to use a third bar, particularly if they plan to go off roading, and expect to be hitting steep sideways angles, but for everyday road users two is more than adequate.

What is the correct placement of roof bars for a roof tent?

Summary

Getting the right distance between your roof bars / cross bars is simple, as long as you follow the information on this guide.

- Correct roof bar distance
- Tolerance

If you have any questions about proper placement of roof bars / cross bars, or installation of your TentBox in general, please check these guides for advice. It's very important that your TentBox is installed correctly. If you are not sure please ask.

Correct roof bar distance

To ensure the safety of you and your TentBox, we recommend the following distance between your two cross bars:

TentBox Lite - 50cm-100cm

TentBox Lite XL- 70cm-120cm

TentBox Classic - 70cm-120cm

TentBox Cargo - 70cm-120cm

Tolerance

A few centimetres on either side of these ranges is acceptable, but it's always important to place your TentBox as centrally as possible onto your crossbars.